


Title: "Bifunctional Molecules and Their Use in the Disruption of Protein-Protein Interactions"  
Inventor: Crabtree et al.  
Application No.: 09/716,054  
Atty. Docket No. STAN-166

**COPY OF PAPERS  
ORIGINALLY FILED**

 $\frac{1}{4}$ 

**FIG. 1**

*The mode of action of blocking antibodies can be recapitulated with small molecules*



APPROVED	
BY	
DRAFTSMAN	





COPY OF PAPERS  
ORIGINALLY FILED


2/4

APPROVED BY DRAFTSMAN	O. G. FIG.	
	CLASS	SUBCLASS

RECEIVED  
AUG 14 2002  
TECH CENTER 1600/2900

FIG. 2

NFAT translocates into the nucleus after activation of calcineurin with ionomycin





RECEIVED

AUG 14 2002

TECH CENTER 1600/2900

COPY OF PAPERS  
ORIGINALLY FILED


APPROVED BY DRAFTSMAN	O. G. FICZ	
	CLASS	SUBCLASS

### FIG. 3

Binding of FRB to FKBP-NFAT with rapamycin abolishes  
translocation into the nucleus

COS cells transfected with FRB and FKBP-NFAT

Translocation of FKBP-NFAT  
into the nucleus





Title: "Bifunctional Molecules and Their Use  
Disruption of Protein-Protein Interactions"  
Inventor: Crabtree et al.  
Application No.: 09/716,054  
Atty. Docket No. STAN-166

4/4

RECEIVED

AUG 14 2002

TECH CENTER 1600/2900

COPY OF PAPERS  
ORIGINALLY FILED

FILED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

FIG. 4

*Steric blockage prevents access of regulatory proteins to NFAT*

